

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	846	(356/402).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/03/28 12:24
L2	318	(356/418).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/03/28 12:24
L3	463	(356/419).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/03/28 12:24
L4	0	(356/885).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/03/28 12:24
L5	1043	(359/885).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/03/28 12:24
L6	342	(359/888).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/03/28 12:24
L7	439	(359/889).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/03/28 12:24
L8	392	(359/890).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/03/28 12:24
L9	331	(359/892).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/03/28 12:24
L10	397	(356/416).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/03/28 12:24

L11	439	(359/889).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/03/28 12:24
L12	792	(359/891).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/03/28 12:24
L13	1677	(250/226).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/03/28 12:24
L14	6106	L1 or L2 or L3 or L4 or L5 or L6 or L7 or L8 or L9 or L10 or L11 or L12 or L13	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/28 12:24
L15	25	L14 and (calibrat\$ with filter with (position\$ or locat\$) with (transmi\$ or wavelength or color))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/28 12:24
L16	224	L14 and ((calibrat\$ or tun\$4) with filter) and (transmi\$ or wavelength or color) and (aperture or diameter or waist)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/28 12:25
L17	2220	(359/900).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/03/28 12:25
L18	0	L17 and (calibrat\$ with filter with (position\$ or locat\$) with (transmi\$ or wavelength or color))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/28 12:25
L19	23	L17 and ((calibrat\$ or tun\$4) with filter) and (transmi\$ or wavelength or color) and (aperture or diameter or waist)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/28 12:25
L20	8286	L14 or L17	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/28 12:26
L21	23	L20 and (((calibrat\$ or tun\$4 or compensat\$ or calibrat\$) with filter with (wavelength or intensity or transmi\$)) same (aperture or diameter or waist))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/28 12:32

L22	6721	((calibrat\$ or tun\$4 or compensat\$ or calibrat\$) with filter) same (wavelength or intensity or transmi\$) and ((grad\$5 or vari\$5 or vary\$4) with (transmi\$ or reflect\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/28 12:35
L23	625	((calibrat\$ or tun\$4 or compensat\$ or calibrat\$) with (multilayer or interfer\$ or multi?layer or (multi\$4 near3 layer)) with filter) same (wavelength or intensity or transmi\$) and ((grad\$5 or vari\$5 or vary\$4) with (transmi\$ or reflect\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/28 12:41
L24	7	23 and (((color or wavelength) with character\$) same (aperture or pinhole or (pin near3 hole) or hole))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/28 12:38
L25	432	((calibrat\$ or tun\$4 or compensat\$ or calibrat\$) with (multilayer or interfer\$ or multi?layer or (multi\$4 near3 layer)) with filter) same (color or wavelength)) and ((grad\$5 or vari\$5 or vary\$4) with (transmi\$ or reflect\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/28 12:53
L26	26	25 and ((calibrat\$ with dat\$2) same (memor\$ or ram or rom))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/28 12:43
L27	11	((calibrat\$ or tun\$4 or compensat\$ or calibrat\$) with (multilayer or interfer\$ or multi?layer or (multi\$4 near3 layer)) with filter with (wheel or disk or disc)) same (color or wavelength)) and ((grad\$5 or vari\$5 or vary\$4) with (transmi\$ or reflect\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/28 12:59
L28	33	((calibrat\$ or tun\$4 or compensat\$ or calibrat\$) with (multilayer or interfer\$ or multi?layer or (multi\$4 near3 layer)) with filter with (wheel or disk or disc or circul\$ or wedge)) same (color or wavelength)) and ((grad\$5 or vari\$5 or vary\$4) with (transmi\$ or reflect\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/28 13:01
S1	17	((("3818198") or ("4093991") or ("4602160") or ("5515119") or ("5729347") or ("5852498") or ("6157025") or ("6359724"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/17 10:37
S2	2	("5426576").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/17 11:50
S3	831	(356/402).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/17 11:50
S4	311	(356/418).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/17 11:50

S5	454	(356/419).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/17 11:50
S7	1012	(359/885).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/17 11:51
S8	333	(359/888).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/17 11:51
S10	389	(359/890).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/17 11:51
S11	323	(359/892).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/17 11:51
S12	391	(356/416).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/17 12:06
S13	440	(359/889).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/17 12:06
S14	790	(359/891).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/17 12:06
S15	1644	(250/226).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/17 12:06
S16	6006	S3 or S4 or S5 or S6 or S7 or S8 or S9 or S10 or S11 or S12 or S13 or S14 or S15	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/17 12:10
S17	27	S16 and (calibrat\$ with filter with (position\$ or locat\$) with (transmi\$ or wavelength or color))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/17 16:26

S18	226	S16 and ((calibrat\$ or tun\$4) with filter) and (transmi\$ or wavelength or color) and (aperture or diameter or waist)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/17 16:26
S19	2209	(359/900).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/17 13:46
S20	2	("6,057,925").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/17 13:47
S21	2	("5166755").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/17 13:47
S22	6	("3442572"   "3929398"   "4280050"   "5046162"   "6075647").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/17 14:01
S23	7	("6157025").URPN.	USPAT	OR	ON	2004/11/17 14:17
S24	0	S19 and (calibrat\$ with filter with (position\$ or locat\$) with (transmi\$ or wavelength or color))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/17 16:26
S25	22	S19 and ((calibrat\$ or tun\$4) with filter) and (transmi\$ or wavelength or color) and (aperture or diameter or waist)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/17 16:31
S26	8175	S16 or S19	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/17 16:31
S27	24	S26 and (((calibrat\$ or tun\$4 or compensat\$ or calibrat\$) with filter with (wavelength or intensity or transmi\$)) same (aperture or diameter or waist))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/17 17:21
S28	47331	((light or lumin\$ or illumin\$) same (calibrat\$ or tun\$4 or compensat\$ or calibrat\$)) and (aperture or diameter or waist)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/17 17:30
S29	3195	((light or lumin\$ or illumin\$) same (calibrat\$ or tun\$4 or compensat\$ or calibrat\$) same (wavelength or color) same (position\$3 or location)) and (aperture or diameter or waist)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/17 17:32

S30	796	((light or lumin\$ or illumin\$) same ((calibrat\$ or tun\$4 or compensat\$ or calibrat\$) with (wavelength or color) with (position\$3 or location))) and (aperture or diameter or waist)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/17 18:20
S31	468	S30 and (gradient or grad\$3 or variab\$ or varian\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/17 17:34
S32	130	S30 and ((gradient or grad\$3 or variab\$ or varian\$) with filter)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/17 17:34
S33	26	((light or lumin\$ or illumin\$) same ((calibrat\$ or tun\$4 or compensat\$ or calibrat\$) with (wavelength or color) with (position\$3 or location)) same (filter with (gradient or grad\$3 or variab\$ or varian\$)))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/18 09:20
S34	10329	((calibrat\$ or tun\$4 or compensat\$ or correct\$) with (wavelength or color) with (position\$3 or location))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/18 09:19
S35	42	((light or lumin\$ or illumin\$) same ((calibrat\$ or tun\$4 or compensat\$ or correct\$) with (wavelength or color) with (position\$3 or location)) same (filter with (gradient or grad\$3 or variab\$ or varian\$)))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/18 10:05
S36	32	((calibrat\$ or tun\$4 or compensat\$ or correct\$) with (wavelength or color) with (position\$3 or location)) same (filter with (gradient or grad\$3 or variab\$ or varian\$)) and (aperture or diameter or waist)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/18 10:41
S37	2	("4800474").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/18 11:15